



Product Service

CERTIFICATE

No. B 071686 0007 Rev. 00

Holder of Certificate: COLCOM GROUP S.p.A.

Via degli Artigiani 56 Int. 1
 25075 NAVE (BS)
 ITALY

Certification Mark:



Product:

**Door Fittings
 (Hinges)**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.: MES1078596A00TR

Valid until: 2024-07-31

Date, 2019-08-08

(GIANPAOLO MENSA)



Product Service

CERTIFICATE

No. B 071686 0007 Rev. 00

Model(s):

8010, 8010BT, 8010BTSF, 8010BTSG, 8010JC, 8010JCSF, 8010JCSG, 8010L, 8010LSF, 8010MG, 8010MI, 8010SD1, 8010SF, 8010BTX, 8010BTXSG, 8010JCX, 8010JCXMG, 8010SFX, 8010VBTXSG, 8010X, 8010XX, 8011, 8011BC, 8011BT, 8011BTSF, 8011BTSG, 8011L, 8011MG, 8011SD1, 8011SF, 8011SZ, 8011BTX, 8011BTXSG, 8011SFX, 8011VBTXSG, 8011X, 8015, 8015BT, 8015BTSF, 8015BTSG, 8015JC, 8015JCSF, 8015JCSG, 8015L, 8015LSF, 8015MG, 8015SF, 8015BTX, 8015BTXSG, 8015JCX, 8015JCXMG, 8015X, 8015XX, 8060, 8060AL, 8060AM, 8060BT, 8060BTSF, 8060FL, 8060GEA, 8060GEH, 8060GES, 8060GM, 8060L, 8060LBT, 8060LWD, 8060MG, 8060MI, 8060PM, 8060RA1, 8060RA1SF, 8060RK, 8060S, 8060SF, 8060ST, 8060TI, 8060WD, 8060BTX, 8060SFXVGP, 8060X, 8060XVGP, 8201, 8201ICM1, 8201ICMLL1, 8201L, 8201S, 8201SF, 8202, 8202ICM1.

Model	Efficiency [%]	Range [°]	Load Max [Kg]	Description
BILOBA 8010	92	0°; +90°; -90°	100	Biloba automatic Hydraulic Hinge with central fins.
8010BT				
8010BTSF				
8010BTSG				
8010JC				
8010JCSF				
8010JCSG				
8010L				
8010LSF				
8010MG				
8010MI				
8010SD1				
8010SF				
8010BTX				
8010BTXSG				
8010JCX				
8010JCXMG				
8010SFX				
8010VBTXSG				
8010X				
8010XX				

TUV SUD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD
 ZERTIFIKAT ♦ CERTIFICATE ♦ 認證證書 ♦ CERTIFICADO ♦ CERTIFIKAT ♦ CERTIFICATE ♦ CERTIFICAT



Product Service

CERTIFICATE

No. B 071686 0007 Rev. 00

Model	Efficiency [%]	Range [°]	Load Max [Kg]	Description
8011	92	0°; +90°; -90°	100	Biloba automatic Hydraulic Hinge with moved fins.
8011BC				
8011BT				
8011BTSF				
8011BTSG				
8011L				
8011MG				
8011SD1				
8011SF				
8011SZ				
8011BTX				
8011BTXSG				
8011SFX				
8011VBTXSG				
8011X				
8015	92	0°; +90°; -90°	100	Glass-Glass Automatic hydraulic hinge.
8015BT				
8015BTSF				
8015BTSG				
8015JC				
8015JCSF				
8015JCSG				
8015L				
8015LSF				
8015MG				
8015SF				
8015BTX				

TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD
 ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT



A4 / 07.17



Product Service

CERTIFICATE

No. B 071686 0007 Rev. 00

Model	Efficiency [%]	Range [°]	Load Max [Kg]	Description
8015BTXSG	92	0°; +90°; -90°	100	Glass-Glass Automatic hydraulic hinge.
8015JCX				
8015JCXMG				
8015X				
8015XX				
8060	93	0°; +90°	100	Automatic hydraulic hinge for biloba doors for window doors
8060AL				
8060AM				
8060BT				
8060BTSF				
8060FL				
8060GEA				
8060GEH				
8060GES				
8060GM				
8060L				
8060LBT				
8060LWD				
8060MG				
8060MI				
8060PM				
8060RA1				
8060RA1SF				
8060RK				
8060S				
8060SF				

TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD
ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

A4 / 07.17



Product Service

CERTIFICATE

No. B 071686 0007 Rev. 00

Model	Efficiency [%]	Range [°]	Load Max [Kg]	Description
8060ST	93	0°; +90°	100	Automatic hydraulic hinge for biloba doors for window doors
8060TI				
8060WD				
8060BTX				
8060SFXVGP				
8060X				
8060XVGP				
8201	94	0°; +90°; -90°	150	Triloba Automatic Hydraulic hinge
8201ICM1				
8201ICMLL1				
8201L				
8201S				
8201SF				
8202	94	0°; +90°; -90°	150	Triloba Automatic Hydraulic hinge
8202ICM1				

Material:

Series	Materials
BILOBA 8010	<i>Alloy 6060; Alloy AB 44100; Inox AISI 303; Steel 42CrMo.</i>
BILOBA 8011	<i>Alloy 6060; Alloy AB 44100; Inox AISI 303; Steel 42CrMo.</i>
BILOBA 8015	<i>Alloy 6060; Alloy AB 44100; Inox AISI 303; Steel 42CrMo.</i>
BILOBA 8060	<i>Alloy 6060; Alloy AB 44100; Inox AISI 303; Steel 42CrMo.</i>
TRILOBA 8201/8202	<i>Alloy 6060; Alloy AB 44100; Inox AISI 303; Steel 42CrMo.</i>

Tested according to: EN 1154:2006

Production Facility(ies): 071686


Page 5 of 5